

SUGGESTED PROCEDURE

Item	Clonidine 0.1% cream	Formula Date	27 Aug 2024
API(s)	Clonidine Hydrochloride, USP	Procedure No.	P2625
Base	VersaCream™ PRO	Revision	R2
Volume/Quantity	30g	Compound Type	Hydrous Topical

Rx	Weight (g)	Percent	Comment
Clonidine Hydrochloride, USP	0.03g	0.1%	
Propylene Glycol	0.3g	1%	
VersaCream™ PRO	29.67g	98.9%	qs
Total	30g	100%	

To account for processing error considerations during preparation, it is suggested to measure an additional **10%** of the required quantities of ingredients.

Suggested Method of Preparation

1. Calculate the required quantity of each ingredient for the total amount to be prepared
2. Accurately weigh and/or measure each ingredient. Account for batch size and density conversions, if required.
3. Levigate the Clonidine HCl with Propylene Glycol I to form a homogeneous paste dispersion.
4. Geometrically incorporate the VersaCream™ PRO base and mix well using high-shear to form a homogeneous cream-like dispersion.
5. Transfer the final preparation into an appropriate dispensing container. UnoDose™ mixing/dispensing container for preparation compounding and dispensing is recommended.
6. Suggested Quality assessments
 - a. Appearance and feel
 - b. Quantity
 - c. Label: auxiliary labels, storage, BUD, compounded medication, for external use only

Packaging: Tight, light-resistant container, syringe, UnoDose™ container.

Estimated Beyond Use Date: 35 days per USP 795*

Labeling: Keep out of reach of children. Use only as directed. Protect from moisture and light.

Stability: Hydrous formulation.

Note: Potency Range Recommendation: ≥90% and ≤110% of the theoretically calculated active(s).

All products, except for API(s) are sourced from SpecializedRx only. Any deviation from ingredients used will invalidate the formula.

***Beyond-Use Date should be based on the current USP General Chapter <795>.** Precautions should be taken to prevent cross-contamination and exposure of ingredients to the compounder and contamination of the preparation by the compounder. No claims are made as to the safety or efficacy of this preparation. This formulation is provided solely at the unsolicited request of the pharmacist. Beyond-Use Dates of preparations are conservative estimates by the formulator using reference books, peer-reviewed literature, and intended duration of therapy, formulation from commercially available products, organoleptic observations and current USP guidelines. Compounders may have stability studies performed by a reputable laboratory if they wish to extend the Beyond-Use Date. It is recommended that you follow USP <795> recommendations for potency testing.

WARNING! Precautions should be taken when handling APIs as they can be absorbed through the skin, mucus membranes and lungs if inhaled. Always wear protective lab apparel, gloves, eye protection, respirator / work under a safety cabinet.

Disclaimer: SpecializedRx makes no warranties or claims to the safety, accuracy, or efficacy of the above information, expressed or implied given the variations in use, materials, and formulations. SpecializedRx accepts no liability for the loss or damage arising from reliance on the information. Compounding pharmacists using this formula take full responsibility for the formulations and hold SpecializedRx and its officers, directors and employees harmless for any claim arising from use of or reliance on information contained therein. This is a copyrighted formula that may not otherwise be distributed, copied or disclosed without SRx's written permission. This formula is subject to SRx intellectual property rights.