

Trade Name: Glidetab P125

1 Identification

1.1 Product identifier

Trade name: Glidetab P125
Product Code: B0220
Application of the substance / the mixture: Pharma Excipient

1.2 Details of the supplier of the safety data sheet

Manufacturer/Supplier:
SpecializedRx Products, LLC
7237 University Ave. NE
Fridley, MN 55432
www.specializedrx.com
sales@specializedrx.com

Information department:

Tel.: 1-888-512-1209
Fax: 1-612-424-8481

1.3 Emergency telephone number:

Emergency Telephone:
US: 1-888-512-1209
International: 1-888-512-1209

2 Hazard(s) identification

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

2.2 Label elements

Hazard pictograms N/A

Signal word None

Hazard statements N/A

Precautionary statements (GHS US) : N/A

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

3.1 Chemical Characterization:

Description: Polysaccharide derived from wood pulp with colloidal silicon dioxide

Trade Name: Glidetab P125

CAS No. 9004-34-6 and 112945-52-5

Common Name: Microcrystalline cellulose (MCC), cellulose gel

Impurities and/or Stabilizing Additives: No data available.

4 First-aid measures

4.1 Description of first aid measures

General information: No special measures required.

After inhalation: Remove from exposure. Get medical aid if cough or other symptoms appear.

After skin contact: Wash skin with soap and water.

After eye contact: Rinse opened eye for several minutes under running water. If irritation persists obtain medical attention.

After swallowing: Wash mouth out thoroughly with water; no anticipated hazards associated with ingestion incidental to industrial exposure. In severe cases, obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing agents: alcohol-resistant foam, dry chemical, water spray, sand. Use fire-fighting measures that suit the environment.

5.2 Special hazards arising from the substance or mixture

Avoid dust formation, as fine dust dispersed in the air in the presence of an ignition source may result in explosion. Static electricity may be sufficient to ignite dust clouds; ignition possibility is dependent upon minimum ignition energy (MIE), which is outside the scope of this SDS.

5.3 Advice for firefighters

Protective equipment: In the event of fire, wear self-contained breathing apparatus.

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid dispersing dust into air, (i.e. avoid use of compressed air to clean surfaces). Avoid breathing dust; powder may become slippery when wet.

6.2 Environmental precautions:

Non-hazardous.

6.3 Methods and material for containment and cleaning up:

Trade Name: Glidetab P125

Sweep, vacuum or shovel into suitable containers for disposal; use non-sparking (e.g. plastic) tools and avoid the use of water, as the powder may become slippery when wet.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

7.1 Precautions for safe handling:

Wear dust mask, gloves, goggles and (c)overalls while working with powder. Minimize dust creation during clean-up.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Material is slightly hygroscopic; store in tightly sealed containers to prevent moisture ingress and potential contamination.

7.3 Specific end use(s): No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

8.1 Control parameters

Components with limit values that require monitoring at the workplace:

Microcrystalline cellulose (9004-34-6) ACGIH TLV TWA: 10 mg/m³ OSHA PEL TWA: 15 mg/m³ TWA: 5 mg/m³ NIOSH TWA: 10 mg/m³ TWA: 5 mg/m³ **Mexico:** TWA 10 mg/m³ Mexico: STEL 20 mg/m³ Microcrystalline cellulose (9004-34-6) **British Columbia** TWA: 10 mg/m³ TWA: 3 mg/m³ **Quebec** TWA: 10 mg/m³ TWA: 5 mg/m³ **Ontario** TWA/EV TWA: 10 mg/m³ **Alberta** TWA: 10 mg/m³ TWA: 5 mg/m³

8.2 Exposure controls

Engineering measures: use local ventilation; dusting may occur

Personal protective equipment:

Breathing equipment: If irritation is experienced or exposure limits are exceeded, NIOSH approved protection should be worn.

Protection of skin: Minimize skin contact by wearing gloves/appropriate outerwear to limit skin exposure.

Eye protection: Goggles recommended during handling.

9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form: dry free-flowing powder

Color: white or practically white powder

Trade Name: Glidetab P125

Odor: Odorless

pH-value: 5.0 – 7.0 (11% solids dispersion in solution)

Melting point/Melting range: Not applicable

Boiling point/Boiling range: Not applicable

Flash point: Not applicable

Flammability (solid, gaseous): Not applicable.

Ignition temperature: Not determined

Decomposition temperature: Not determined.

Auto igniting: Not determined

Danger of explosion: Not determined

Explosion limits:

Lower: Not determined

Upper: Not determined

Vapor pressure: Not determined

Density: at 20°C 0.25 – 0.37 g/cm³

Relative density: Not determined.

Vapor density: Not determined.

Evaporation rate: Not determined.

Solubility in / Miscibility with Water: Insoluble, but dispersible in water

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

Dynamic: Not determined

Kinematic: Not determined.

Solvent content:

Organic solvents: 0.0 %

Water: 0.0 %

VOC content: 0.0 %

9.2 Other information: No further relevant information available.

10 Stability and reactivity

10.1 Reactivity: No data available.

10.2 Chemical stability: Stable under normal conditions.

10.3 Possibility of hazardous reactions: None under normal processing.

10.4 Conditions to avoid: Avoid dust formation.

10.5 Incompatible materials: Reacts with oxidants and strong acids.

10.6 Hazardous decomposition products: Burning produces obnoxious and toxic fumes: sulfur oxides.

11 Toxicological information

11.1 Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:		
Oral	LD50	500 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rabbit)
Inhalation	LC50	>2000 mg/kg (rat) 4h

Trade Name: Glidetab P125

14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
UN "Model Regulation":	Void

15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- **Sara Section 355 (extremely hazardous substances):** Substance is not listed.
- **Sara Section 313 (Specific toxic chemical listings):** Substance is listed.
- **TSCA (Toxic Substances Control Act):** ACTIVE
- **Hazardous Air Pollutants** Substance is not listed.
- **Proposition 65**
- **Chemicals known to cause cancer:** Substance is not listed.
- **Chemicals known to cause reproductive toxicity for females:** Substance is not listed.
- **Chemicals known to cause reproductive toxicity for males:** Substance is not listed

16 Other information

This SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered to be dependable and is accurate to the best of the Company's knowledge. However, the information is provided without any representation or warranty, expressed or implied regarding its accuracy or correctness. The Company cannot assume responsibility for adverse events which may occur in the use and/or misuse of this product and expressly disclaims liability for loss, damage and/or expense arising out of or in any way connected with the handling, storage, use and/or disposal of this product.

Department issuing SDS:

SpecializedRx Products, LLC
Quality Assurance

Contact: sales@specializedrx.com

Date of preparation / last revision: 23 Feb 2022

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 PBT: Persistent, Bioaccumulative and Toxic

Safety Data Sheet

acc. To OSHA HCS

Reviewed on 23 Feb 2022

Printing date 23 Feb 2022

Trade Name: Glidetab P125

vPvB: very Persistent and very Bioaccumulative
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit